



details

EL&EL MOULDING COLLECTION southern edition

- i GREEN PRACTICES
- iii GREEN BUILDING
- iv PRODUCT INFO/SYMBOLS
- v TERMS & CONDITIONS
- vi ABOUT MOULDINGS
- 1 SOLID PINE
- 21 RAW & PRIMED FJ PINE
- 53 HARDWOODS
- 111 MDF & ULTRALITE
- 175 VG DOUG FIR & REDWOOD



🐠 green practices

COMMITMENT

EL & EL is dedicated to making a positive environmental impact every day by realizing how vitally important it is to conserve our environment. Within our facilities we recycle cardboard, wood pallets, flourescent light bulbs, plastic strapping, metal strapping, plastic bags, glass and plastic bottles, aluminum cans and paper. We installed new technology lighting that reduced our kilowatt usage by 30%. We will continue our commitment to improving our world through new technologies and advancements and seek out improvements in the area of gas and petroleum usage. Our commitment is for a better world and a better life for all. We support those manufacturers and companies that practice sustainable forest management and integrate the world's economic and environmental needs. The following principles help to guide us in our actions and lead us down a path of sustainability.

FOREST MANAGEMENT

We believe in and endorse sustainable forestry principles which integrate the perpetual reforestation, growing and harvesting of trees with the protection of wildlife, plants, soil, air, and water quality.

ENVIRONMENTAL MANAGEMENT

We encourage sound environmental management practices of forests, processes and recycling to ensure that building materials are available to assist in providing better quality of life for future generations. We encourage manufacturers to embrace independent third party verification of forest practices or to strictly abide by requirements of certification ideals.

CERTIFICATION PROGRAMS & STANDARDS

We support and endorse the significant efforts being made within the forest products industry to satisfy the public's environmental concerns through scientifically based certification programs. However, we do not promote or endorse one certification program over another because no single system or policy is applicable or geographically available to all situations.

PRODUCTS

We promote companies that keep the vision of the environment as one of their primary focuses and that are committed to sustainable forestry practices. Products distributed from these facilities have been harvested from forests that meet stringent environmental, social and economic standards.

We support the protection and preservation of our natural resources. By acquiring our FSC Chain of Custody Certification, we are doing our part to ensure that our natural resources will be protected for future generations. We endorse the significant efforts being made to satisfy the public's environmental concerns, that are recognized as environmental standards, in all parts of the world through scientifically based certification programs such as FSC, SFI, CERTFOR and PEFC.





guide to understanding green building



ΙΪΪ

WHAT IS GREEN BUILDING?

Green building can be defined as a set of guiding principles, somewhat like a guardrail on a mountain road, to assist the building and design communities on the path to sustainability. Green built homes have improved energy efficiency, conserve water and other natural resources, lends themselves to improved indoor air quality, reduce pollution, are less dependent on fossil fuels, are more durable and more comfortable than homes built previously. The term green building is often interchanged with sustainable, high-performance or healthy.

THE "FIVE PILLARS" OF GREEN BUILDING

Refers to an integrated approach to residential construction:

Increasing Energy Efficiency Using Materials Appropriately Conserving and Reusing Water

Providing a Healthful Living and Working Environment (air quality)Building Attractive Structures That Will Last

WHAT DOES SUSTAINABLE MEAN?

DEFINITION: Capable of being continued with minimal long-term effect on the environment. A means of configuring construction activity so that architects, builders and home purchasers are all able to meet their needs and express their greatest potential in the present while preserving biodiversity and natural ecosystems in the future.

UNDERSTAND "LIFE-CYCLE ASSESSMENT"

Life cycle assessments (LCAs) analyze a product's environmental impact throughout its 'cradle-to-grave' life span. This involves a big picture examination of the energy consumed, the raw materials used, and the extent of environmental impact at various stages of a product's manufacture, use and disposal. Builders and architects seek products with a low life-cycle impact on the environment.

WHAT ARE USGBC, LEED, FSC, SFI, PEFC, SCS, CERTFOR, AND VOC'S

United States Green Building Council is a non-profit

LEED (Leadership in Energy and Environmental Design), a green building rating system developed by the USGBC, is the nationally accepted benchmark for the design, construction and operation of highperformance green buildings.

Forest Stewardship Council (FSC) is an international network promoting responsible management of the world's forests. Founded in 1990, they accredit independent, third-party organization SCS) who can certify forest managers and forest producers to FSC standards. Over 200 million acres of forestlands are FSC-certified worldwide. FSC chainof-custody certification provides a system for tracking certified wood from the forest, through production and distribution, to the point of sale.

SFI (Sustainable Forestry Initiative) is a forest product certification program promoting responsible forestry and sound business practices among forest product producers. Adopted by the American Forest & Paper Association (AF&PA) in 1994, SFI is a comprehensive system of principles, objectives and performance measures. Its membership plants 1.7 million tress every day. With over 150 million acres of certified forestland in North America, SFI is among the world's largest sustainable forestry programs. Independent, third-party organizations are approved to perform certification audits to FI standards once they've met procedure & qualification standards.

SCS (Scientific Certification Systems) is a leading third-party provider of certification, auditing & testing services and standards.

Volatile Organic Compounds (VOCs) are emitted as gasses from certain solids or liquids. VOCs include a variety of chemicals, some of which may have shortterm and long-term adverse health effects.

PEFC is an "umbrella" made up of international standards and national forestry standards recognized by 149 nations. PEFC does not allow wood from under PEFC standards which includes CERTFOR.

ELandELWoodProducts.com green practices



FSC	SFI	PEFC/CERTFOR
Promotes responsible and sustainable forest practices • Certification can be obtained for Forestry Management and for Chain of Custody; company can meet one or both standards • Rigorous documentation and traceability required for both certifications	National Forest standard for Canada and the United States	Promotes sustainable forestry management
FSC represents over 200 million acres of certified forest in over 70 countries	SFI covers 135 million acres of forest across North America	PEFC Certification can help with a 'Green' reputation in the building industry • Green points' can be earned. • Certification in PEFC is worth 4 points on the National Green Building Standard
Like PEFC, forestry operations must be sustainable	Like PEFC and FSC, the SFI standard is well-received worldwide	PEFC is an 'umbrella' made up of international standards and national forestry standards •Recognized in 149 nations; includes 35 independent national certifications
FSC also requires that civil or traditional rights are not violated in the forestry areas	Independent audit of processes is required for this program • It is the only standard explicitly requiring an annual internal audit and management-review system	23 independent standards are entirely PEFC-compliant • 537 million acres are managed under PEFC standards • This includes CERTFOR, which makes Arauco a PEFC-compliant company
FSC also requires >70% of material be from certified sources	Mission is to promote sustainable forestry and to influence logging management through best practices	PEFC does not allow wood from controversial sources
	SFI has alliances with wildlife organizations	At least 70% of material must be produces
	Members can be found outside of the building products industry •i.e. Wal-Mart, Xerox, United Airlines	from certified sources •Recycled raw materials must be from products 70% certified

PRODUCT INFORMATION & SYMBOLS

All items in our catalog have a corresponding part number. We strive to use the same part # for like or similar items within each specie. For example, the **2-1/2 Cape Cod Casing** is available in several species and will have the same part # within each specie with the correct specie code following to ensure you receive the correct profile in the correct specie.

EXAMPLE: 2-1/2 Cape Cod Casing is part number 150.

To order 150 in Solid Pine, the correct part number is E150

...Ultralight MDF is 150MUL

...Oak is 150-0

...Maple is 150MP

Species Code Reference [used after each part #] (Please note that any part # that begins with a PR indicates a primed product)

Standard Mouldings:

E - Solid Pine

A - FJ Pine RawPR - FJ Pine Primed

MUL - Ultralite MDF (Ultralite Fiberboard)
LIDF - Lightweight MDF (Light Density Fiberboard)

VG - Vertical Grain Fir/Mixed Grain Douglas Fir

No code - Redwood

AR - FJ Redwood

Hardwood Mouldings:

P - Poplar

O - Oak C - Cherry

MH - Mahogany MP - Maple

ALD - Alder

KA - Knotty Alder

Exterior Frames:

No code - FJ

F - Flat Grain Fir/Veneer VG Fir

P - Poplar
O - Oak
M - Mahogany

KA - Knotty Alder

Interior Jambs:

Flexible Moulding:

Use the entire part # and specie code and add:

F - for Valuflex

Base or Chair Rail Bullnose Radius Corners:

Use the entire part # and specie code and add:

W - standard 3/4" radius corner

SP - Solid PineM - MDF

No code - FJ Pine

F - Vertical Grain Fir

P - Poplar

O - Oak

ALD - Superior AlderMH - Mahogany

general conditions of sale

- 1) GUARANTEE As a wholesale moulding distributor we are committed to your 100% satisfaction. There is not another distributor on the West Coast that makes this effort to guarantee the value and quality of their lumber products. If for any reason you are not satisfied with any of our products, please return it as it was shipped and we will offer a replacement or credit.
- 2) RETURNS AND VARIANCES We believe strongly that our materials and workmanship are among the best that can be purchased. If you are not satisfied with your shipment from EL & EL Wood Products Corp., we agree to allow return of all material and refund 100% of the invoice amount.**
 - **All claims on products and services must be reported within 5 days of receipt. Material must be held intact for inspection. All returns must be approved in advance by EL & EL Wood Products Corp. Products with quality defects and will be replaced at no charge to the Buyer. Material that is not in its original delivered condition (ie: painted, cut, left out in weather, damaged) will not be accepted for a return credit.

On materials returned for reasons other than quality, a minimum 20% restocking charge will be discounted off the credit when issued. Any material cut or modified in any way is deemed accepted by the buyer and no credit or return is allowed. Seller accepts no responsibility for labor or other loss experienced by the Buyer because of the use of Seller's products.

- 3) LIMITATIONS Drawings in this catalog are not necessarily full size. Actual size and profiles may vary slightly from catalog illustrations and dimensions. It is the Buyer's responsibility to make him/her aware of the above mentioned General Conditions of Sale.
- 4) INSTALLATION OF MOULDINGS
 - Store inside of Jobsite off floor to keep dry.
 - Run heater or air conditioner to dehumidify job prior to and during moulding installation and finishing (remember, concrete slabs and sheetrock mud all add moisture to jobsite)
 - · Allow mouldings to acclimate for 3-5 days with low heat or air on.
 - · Adequate blocking is needed to attach crowns to ceilings, wide casing to walls.
 - · During installation, nail mouldings securely to studs and glue mitered corners.
 - Adhesives can be used where mouldings lay on walls. Miters can receive biscuit-type joinery.
 - Central Humidification Systems are highly recommended when extensive millwork is being installed.
- 5) SPECIAL ORDERS / CUSTOM MOULDINGS We are glad to work with our customers on items that are nonstandard. An advance deposit of 50% of the estimated invoice is required on all special orders. Accurate Buyer approved drawings are required before work will begin on custom patterns. Please note that up to 15% overruns are normal and typical. Please figure and anticipate overage.

ELandELWoodProducts.com terms and conditions

nabout mouldings



MOULDINGS are used to decorate a room by lending their decorative patterns to enhance doorways, windows, ceilings, walls, etc. Mouldings can be an extension of one's creative ideas or concepts giving an unlimited amount of uses to each and every item. Each individual's ideas are unique and personal and can be an expression of one's own taste and style that lend a home or office a special look and feel.



BASEBOARDS are used where the wall joins the floor. Baseboard is excellent when turned upside-down and used with crown mouldings to form larger crown details and with the addition of panel moulding, baseboards can be made taller creating larger baseboard or larger crown details.



CASINGS are used to trim around doors and windows (door mouldings can show more mass than windows). Casings can also be used as larger chair rails, or upper horizontal linear banding around rooms.



CHAIR RAILS are used approximately 30" to 40" from the floor, running horizontally to form a "wainscot" look. Chair rail mouldings can also be used as panel mouldings to form panels on walls or ceilings. For larger chair rails, use casings with backbands installed horizontally.



CROWN AND CORNER MOULDINGS are used where the wall joins the ceiling. These can be used alone and will reveal tremendous depth. Crown mouldings can also be built up using lineal mouldings, baseboards, casings, chair rails, or panel moulding with taller ceilings. Large Combination Details are two or more pieces of mouldings installed together to create a unique, large detail.




DOOR HEADERS AND TOP CAPS are used to form a pediment above door and/or window openings. They run horizontally either on top of mitered casings to give height to the opening or they run horizontally at the head jamb of an opening with casing dying into the 27/32" flat bottom. Door headers can be used in fireplace applications (as wide casings or base).

solid pine



BEAUTIFULLY GRAINED AND EASY TO WORK WITH





BEAUTIFULLY GRAINED AND EASY TO WORK WITH




Solid Pine, valued primarily for it's appearance and workability, has long been the moulding stocked by most lumberyard and home centers.


There are many species of solid pine, including domestic Ponderosa and Sugar Pine, along with imported lumber from various countries such as Chile, Russia, and Brazil. With the concerns over deforestation and endangered species, domestic Ponderosa and Sugar Pine became limited in supply and sold at a premium price compared to other types of domestic or imported pine.

Solid Pine is beautifully grained and is easy to work with, and offers many choices for finishing. Pine can simply be clear coated to show its natural warmth, or it can be stained in a variety of colors, antiqued, or painted. Solid Pine often has a special place in the hearts of those who love wood.


1-1/8" to 1-5/8" CASING

♥ lengths available: 6' thru 16'










1




2" TO 2-1/2" CASING

(items are approximate scale only)






E121 5/8 x 2 Clamshell Casing




E152 11/16 x 2-1/4 #356 Casing




E103 5/8 x 2-1/2 Flat S/L Casing



E106 5/8 x 2-1/2 **Oval S/L Casing**



E108 5/8 x 2-1/2 #711 Casing



E110 5/8 x 2-1/2 **3 Step Casing**




E115 5/8 x 2-1/2 Universal Casing




E116 11/16 x 2-1/2 Colonial Casing/Chair Rail

2-1/2" to 2-7/8" CASING


√ lengths available: 6' thru 16'



E120 5/8 x 2-1/2 **2 RE Casing**



E122 5/8 x 2-1/2 **7-Bead Casing**





E119 11/16 x 2-7/8 **Colonial Casing**



3-1/2" TO 4-1/4" CASING

(items are approximate scale only)


♥ lengths available: 6' thru 16'



E114 1/4 x 3-1/2 **Mullion Casing**



E117 9/16 x 3-1/2 **Colonial Casing/Base** (use with E190 to create a wider casing)



E155 11/16 x 3-1/2 **Cape Cod Casing**



E118 9/16 x 4-1/4 Colonial Casing/Base (use with E190 to create a wider casing)

WINDOW & DOOR STOP

♥ lengths available: 6' thru 16'



E200 3/8 x 1/2 1RE Stop



E201 3/8 x 3/4 1RE Stop



E204 1/2 x 3/4 1RE Stop





E205 1/2 x 1 1RE Stop



E202 3/8 x 1-1/4 **1RE Stop**



E206 1/2 x 1-1/4 1RE Stop



E203 3/8 x 1-5/8 **1RE Stop**



E207 1/2 x 1-5/8 **1RE Stop**




E210 1/2 x 1-3/4 **Ogee Stop**



3/4" TO 2-1/4" BASE & BASE SHOE


(items are approximate scale only)





♥ lengths available: 6' thru 16'
















E304




2-1/2" BASE & BASE SHOE

√ lengths available: 6' thru 16'












1-5/8" TO 3-3/8" CROWN

√ lengths available: 6' thru 16'



































OUTSIDE CORNER GUARD





ASTRAGAL



GLASS BEAD & SCREEN

₩ lengths available: 6' thru 16'





QUARTER, HALF & FULL ROUND

(items are approximate scale only)



 Quarter
 Round

 E500
 1/4 x 1/4

 E501
 3/8 x 3/8

 E502
 1/2 x 1/2


 E503
 5/8 x 5/8

 E504
 3/4 x 3/4

 E505
 1 x 1



Half Round E570 1/4 x 1/2 E571 5/16 x 5/8 E572 3/8 x 3/4 E573 1/2 x 1 E574 5/8 x 1-1/4



Solid Yellow Pine Full Round 802P 1-1/4 803P 1-3/8

COVE

















LATTICE & S4S

(items are approximate scale only)



1-1/2 x 1-1/2

S4S 4EE

♥ lengths available: 6' thru 16'

Lattice	
E700	1/4 x 1-1/8
E701	1/4 x 1-1/4
E702	1/4 x 1-5/8
E703	1/4 x 2-1/2
E704	1/4 x 3-1/2



S4S		
E750	3/4 x 5-1/2	(1X6 S4S)
E751	3/4 x 7-1/4	(1X8 S4S)
E752	3/4 x 9-1/4	(1X10 S4S)
E753	3/4 x 11-1/4	(1X12 S4S)

S4S E705 1/2 x 1/2 E706 1/2 x 3/4 E711 3/4 x 3/4 E716 1 x 1 E717 1-9/16 x 1-9/16



E719


S4S		
E707	1/2 x 1-1/2	
E708	1/2 x 2-1/2	
E709	1/2 x 3-1/2	
E710	1/2 x 5-1/2	
E712	11/16 x 1-1/4	
F713	11/16 x 1-5/8	(1

11/16 x 1-5/8 (1x2 S4S) E714 11/16 x 2-1/2 (1x3 S4S) E715 11/16 x 3-1/2 (1x4 S4S)






5/8 x 3/4 Panel Mold



PANEL MOLD






E605 3/4 x 1-5/8 Panel Mold




PANEL MOLD & PANEL CAP


(items are approximate scale only)



EXTERIOR MOLD

♥ lengths available: 6' thru 16'






B612 1-1/4 x 2 **180 Eastern Brick Mold** with Key



E612 1-1/4 x 2 **180 Eastern Brick Mold**




3/8 x 3-1/4 Flat T&G Wainscot

E2001

1 x 12





Solid pille

WINDOW STOOL






E980 11/16 x 4-3/4 Flat Stool

(items are approximate scale only)



E979 11/16 x 5-1/2 **Flat Stool**



E985 11/16 x 7-1/4 Flat Stool





E984 7/8 x 5-1/2 Rab't Stool



INTERIOR DOOR JAMB

(items are approximate scale only)



SIZE	SPECIES	6/8	8/0
4-9/16	Solid Pine	4916SPI6	4916SPI8
4-3/4	Solid Pine	434SPI6	434SPI8
5-1/4	Solid Pine	514SPI6	514SPI8
7-1/4	Solid Pine	714SPI6	714SPI8

raw & primed fj pine THE ECONOMICAL CHOICE FOR PAINTED WOOD



inside apron 47 astragal 45 base 27 casing 21 chair rail 43 cleat 45 cove 44 crown & cornice 39 door header 27 door header skirt 27 exterior door frames 50 exterior molds 48 exterior molds 46 full round 44
hook



raw & primed fj pine

THE ECONOMICAL CHOICE FOR PAINTED WOOD



Finger-Joint (FJ) Pine consists of small pieces of wood that are recycled and jointed together to create lengths for door casings and 16' or 17' lengths for crowns, base and chair rails. This allows for ease of installation and less installation joints, typical of solid woods.

The advantages to FJ Pine mouldings are the definition of detail, much sharper than MDF, the workability, nailing ease and personal preference for wood.

FJ Pine can have some imperfections. Due to FJ production, including many different species of pine from around the globe, this product can have raised grain, thus lacking the smoothness of other species. Close inspection prior to installation and painting is key.

Primed FJ moulding is a water-based product, primed on four sides and fully protected from the elements. Each piece of moulding is ready for paint once prepping is complete. With the same properties as Raw FJ, Primed FJ millwork is receptive to paint, saving extra time and the cost of priming.

Another advantage to Primed FJ mouldings is the ability to spot defects immediately and avoid installing undesirable product. Often times, with unprimed FJ (raw) moulding, the natural flaws are not evident until the millwork is installed and painted.

All FJ & Primed FJ mouldings have trimbacks. Trimbacks occur during manufacturing when the moulding comes through the molder at the correct long length, but a defect is spotted. Rather than throw the whole piece of moulding away, the defect is cut out, leaving varied lengths. Trimbacks (lengths other than those ordered) should not exceed 10% of the footage ordered.

PREVENT PROBLEMS BEFORE YOU START

Most lumber and finish problems are caused by moisture. Wood shrinks as it dries and swells when it absorbs moisture. These dimensional changes can cause lifting, splitting, checking, buckling, and nail popping. Most problems are preventable through proper handling and construction techniques. Builders can minimize performance problems and finish failures by limiting moisture's access to the wood.





151A




S/L Casing 5/8 x 1-5/8 102A



#356 Casing 9/16 x 2


153A



11/16 x 2-1/4

152A **PR152A** Primed

#356 Casing



103A

ELandELWoodProducts.com

1-1/2" TO 2-1/2" CASING



Flat S/L Casing 1/2 x 1-5/8 101A




#711 Casing 5/8 x 1-5/8 107A



Clamshell Casing 11/16 x 2 121A



#366 Casing 11/16 x 2-1/4 162A




108A **PR108A** Primed


raw & primed fj pine

2-1/2" CASING


(items are approximate scale only)

√ lengths available: 7′ & 17′ with trimbacks






115A



Bel-Air Casing 128A

11/16 x 2-1/2


PR128A Primed




150A

PR150A


Primed





163A

PR163A Primed




Tudor Casing


11/16 x 2-1/2

169A

2-1/2" TO 2-7/8" CASING


√ lengths available: 7′ & 17′ with trimbacks







Hermosa Casing 1 x 2-1/2





159A **PR159A** Primed





157A **PR157A** Primed

PR119A Primed

2-7/8" TO 3-1/4" CASING


(items are approximate scale only)



Palos Verdes Casing

1-3/16 x 2-7/8

167A




3 Flute Casing

1/2 x 3-1/4

154A

№ lengths available: 14′ & 16′ + Trimbacks




PR124A Primed



126A

√ lengths available: 17' + Trimbacks




165A

Cambridge Casing


5/8 x 3-1/4

161A

√ lengths available: 17′ + Trimbacks



PR177A Primed




Tudor Casing

1 x 3-1/4

170A

√ lengths available: 17′ + Trimbacks






3-1/2" TO 5-1/2" CASING


(items are approximate scale only)

√ lengths available: 7′ & 17′ with trimbacks



11/16 x 3-1/2


156A




Crescent Casing

1 x 3-1/2

166A



PR186A Primed



1/2 x 5-1/2


172A


raw & primed fj pine 🔏

(items are approximate scale only)

DOOR HEADER

√ lengths available: 17′ only + trimbacks





Craftsman Door Header Cap 1-5/16 x 2-1/4

PRDH150A Primed

DOOR HEADER SKIRT




3/4" TO 1-1/2" BASE

√ lengths available: 16′ + trimbacks



300A **PR300A** Primed



Base Shoe 1/2 x 3/4 PR300B Primed




Flat Base 7/16 x 1-1/2


301A

2-1/4" TO 2-1/2" BASE


(items are approximate scale only)


√ lengths available: 16' + trimbacks





304A







^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.




2-1/2" TO 3-1/4" BASE









^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.

29

3-1/4" TO 3-1/2" BASE (items are approximate scale only) √ lengths available: 16′ + trimbacks #623 Base 3 Step Base 9/16 x 3-1/4 1/2 x 3-1/2 314A 322A **Streamline Base** #711 Base 7/16 x 3-1/2 7/16 x 3-1/2 307A 311A


Primed

PR311A

^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.




31




Crescent Base

339A

9/16 x 3-7/16



3-7/16" TO 3-1/2" BASE






^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.

3-3/4" TO 4-1/4" BASE

(items are approximate scale only)



^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.


4-1/4" BASE



^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.


4-1/2" TO 5" BASE

(items are approximate scale only)



^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.


5" TO 5-1/4" BASE



^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.


5-1/4" BASE


(items are approximate scale only)





6" BASE





^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.

STOP

(items are approximate scale only)











^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.


2-1/4" TO 3-3/8" CROWN & CORNICE

✓ lengths available: 16' + trimbacks











405A Primed

^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.




^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.

5-1/4" TO 5-3/4" CROWN & CORNICE




^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.



^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.





PR670A Primed (with 2-9/16 Face)

^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.

PANEL MOLDS & PANEL CAPS

(items are approximate scale only)



Panel Panel Cap

3/4 x 1

PR602A Primed



Panel Panel Cap

3/4 x 1-1/2

620A

with 3/8" Rab't

QUARTER ROUND



Quarter Round

11/16 x 11/16


504A

COVE

√ lengths available: 16´ + trimbacks




Cove 523A 11/16 x 11/16



605A

Primed



Primed with 1/2 - 3/4" Rab't

FULL ROUND

PR621A

🥊 lengths available: 6´ - 16´ **Full Round** 1-5/16

802A

raw & primed fj pine

(items are approximate scale only)

T&G WAINSCOT

√ lengths available: 16' & trimbacks

ASTRAGAL



Beaded T&G Wainscot

2000A 3/8 x 3-3/8


PR2000A 9/16 x 3-3/8 Primed PR2002A 9/16 x 5-3/8 Primed



Flat T&G Wainscot

3/8 x 3-3/8


2001A




Flat Astragal 11/16 x 1-5/8

660A PR660A Primed

₩ lengths available: 7', 8' & 16'



T-Astragal 1-1/4 x 2-1/4 661A for 1-3/4" Doors √ lengths available: 7′ & 8′ **HOOK & CLEAT** ♥ lengths available 16' & trimbacks




^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.

45


EXTERIOR MOLDS

(items are approximate scale only)





953B Perfect for nailing 1x trim around a door or window



PR612A Primed #180 Eastern Brick Mold w/Stucco Key


1-1/4 x 2

612B **PR612B** Primed

^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.


STOOL & APRON

√ lengths available 16′ + trimbacks



902A


Other options for Apron are casing or base underneath a window stool.



979A 11/16 x 5-1/2 **980A** 11/16 x 4-3/4 **985A** 11/16 x 7-1/4

S4S

√ lengths available 16



54	5

1)
3)
3)
12)



343 DD71

PR713A	11/16 x 1-1/2	Double Primed
PR715A	11/16 x 3-1/2	Double Primed
PR750A	11/16 x 5-1/2	Double Primed
PR751A	11/16 x 7-1/4	Double Primed
PR753A	11/16 x 11-1/4	Double Primed

^{*}Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6' thru 15' and may represent up to 15% of a tally with 85% in the stocked length requested.

INTERIOR & EXTERIOR DOOR JAMBS

(items are approximate scale only)



Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.

SIZE	SPECIES	6/8	8/0	17' LINEAL
3-9/16"	FJ Pine	391616	391618	3916IL
4-9/16"	FJ Pine	491616	491618	4916IL
4-3/4"	FJ Pine	43416	43418	434IL
4-7/8″	FJ Pine	47816	47818	478IL
5-1/4″	FJ Pine	514PI6	514PI8	514IL
7-1/4″	FJ Pine	71416	71418	714IL
11-1/4"	FJ Pine	111416	111418	1114IL

Interior Door Jamb Specs

11/16" Thick 6/8 = 80-5/8" Below Dado 8/0 = 96-5/8" Below Dado Lineal - 17' = FJ Pine 5 Pair Per Bundle




San Diego Exterior Door Jamb 1-1/4" Thick

Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.

SIZE	SPECIES	6/8	17' LINEAL
4-1/8″	FJ Pine	418SD6	418SDL
4-1/2"	FJ Pine	412SD6	412SDL
4-3/4"	FJ Pine	434SD6	434SDL
5-1/4"	FJ Pine	514SD6	514SDL
6-1/8″	FJ Pine	618SD6	618SDL
7-1/4″	FJ Pine	714SD6	714SDL

EXTERIOR DOOR FRAMES




20 Minute Fire-Rated Exterior Frames w/Ink Stamp

Kerfed - for Weatherstrip

SIZE	SPECIES	3/0 x 6/8	3/0 x 8/0
4-1/8"	FJ Pine	418WSFRS	418WS8FRS
4-5/8"	FJ Pine	458WSFRS	-
4-3/4"	FJ Pine	PR434WSFRS	PR434WS8FRS
5-1/4"	FJ Pine	PR514WSFRS	514WS8FRS
7-1/4″	FJ Pine	PR714WSFRS	PR714WS8FRS

Note



Exterior Composite Door Frame

Kerfed - for Weatherstrip

SIZE	SPECIES	6/8	8/0
4-9/16"	Primed Composite	PCF4916W6	PCF4916W8
	Oak Composite	WG4916W6	WG4916W8
	Primed FJ Frame Saver	FS4916W6	FS4916W8
	Mahogany Composite	MCF4916W6	MCF4916W8
5-1/4″	Primed Composite	PCF514W6	PCF514W8
	Oak Composite	WG514W6	WG514W8
	Primed FJ Frame Saver	FS514W6	FS514W8
	Mahogany Composite	MCF514W6	MCF514W8
6-9/16"	Primed Composite	PCF6916W6	PCF6916W8
	Oak Composite	WG6916W6	WG6916W8
	Primed FJ Frame Saver	FS6916W6	FS6916W8
	Mahogany Composite	MCF6916W6	MCF6916W8
7-1/4″	Primed Composite	PCF714W6	PCF714W8
	Oak Composite	WG714W6	WG714W8
	Primed FJ Frame Saver	FS714W6	FS714W8
	Mahogany Composite	MCF714W6	MCF714W8

EXTERIOR DOOR FRAMES

(items are approximate scale only)



FJ Exterior Door Frame

Kerfed - for Weatherstrip 2-1/8 Rab't

SIZE	SPECIES	6/8	8/0	17' LINEAL
4-1/8"	FJ Pine	418W6	418W8	418 WL
	FJ Pine Primed	PR418W6	PR418W8	PR418WL
4-1/2"	FJ Pine	412W6	412W8	412WL
4-5/8"	FJ Pine	458W6	458W8	458WL
	FJ Pine Primed	PR458W6	PR458W8	PR458WL
4-3/4"	FJ Pine	434W6	434W8	434WL
	FJ Pine Primed	PR434W6	PR434W8	PR434WL
5-1/4″	FJ Pine	514W6	514W8	514WL
	FJ Pine Primed	PR514W6	PR514W8	PR514WL
6-1/8″	FJ Pine	618W6	618W8	618WL
	FJ Pine Primed	PR618W6	PR618W8	PR618WL
6-5/8"	FJ Pine	658W6	658W8	658WL
	FJ Pine Primed	PR658W6	PR658W8	PR658WL
7-1/4″	FJ Pine	714W6	714W8	714WL
	FJ Pine Primed	PR714W6	PR714W8	PR714WL


Exterior Door Frame Specs

1-3/4" doors only 1-1/4" Thick 6/8 = 82-1/2" Below Dado 8/0 = 98-1/2" Below Dado

No Screen Rabbet Single End Dado (Except on Lineal) 3 Pair Per Bundle

Kerfing for Bullnose is Available Custom Widths Available

EXTERIOR DOOR FRAMES



FJ Exterior Door Frame

Standard - No Kerf 1-3/4 Rab't

SIZE	SPECIES	6/8	8/0	17' LINEAL
4-1/8"	FJ Pine	4186	4188	418L
	FJ Pine Primed	PR4186	PR4188	PR418L
4-1/2"	FJ Pine	4126	4128	412L
	FJ Pine Primed	PR4126	PR4128	PR412L
4-5/8"	FJ Pine	4586	4588	458L
4-3/4"	FJ Pine	434 E 6	434E8	434EL
	FJ Pine Primed	PR434E6	PR434E8	PR434EL
5-1/4"	FJ Pine	514 E 6	514E8	514EL
	FJ Pine Primed	PR514E6	PR514E8	PR514EL
6-1/8″	FJ Pine	6186	6188	618L
	FJ Pine Primed	PR6186	PR6188	PR618L
6-5/8″	FJ Pine	6586	6588	658L
7-1/4″	FJ Pine	714E6	714E8	714EL
	FJ Pine Primed	PR714E6	PR714E8	PR714EL

Exterior Door Frame Specs


1-3/4" doors only 1-1/4" Thick 6/8 = 82-1/2" Below Dado 8/0 = 98-1/2" Below Dado

No Screen Rabbet Single End Dado (Except on Lineal) 3 Pair Per Bundle

Kerfing for Bullnose is Available Custom Widths Available







hardwoods



THE ENVIRONMENTALLY FRIENDLY CHOICE TO ADD BEAUTY AND VALUE





hardwoods

THE ENVIRONMENTALLY FRIENDLY CHOICE TO ADD BEAUTY AND VALUE



Hardwood mouldings add tremendous value to any residential or commercial project. In stock and available for immediate delivery, you can choose from oak, maple, cherry, mahogany, alder and poplar.

All hardwoods, with the exception of poplar, are stain grade and come in 6' - 16' lengths – predominantly in 6' - 12' lengths. Alder is available up to 10' lengths only.

Green Choices

American hardwoods are the environmentally friendly choice whether your style is architecturally modern or traditional. Our temperate U.S. forests grow nearly twice as much hardwood as we harvest each year. This kind of sustainability is meeting today's needs, without compromising the ability of future generations to meet their needs. With far more hardwood growth than there is harvesting, American hardwoods for moulding and millwork are the definition of environmentally friendly, green and sustainable, now and for future generations. For more information, visit www.americanhardwood.org.

Hardwood Characteristics

Poplar: Little to no grain with light and dark color fluctuations. A green hue is also common. High-end paintgrade product. Can be professionally stained.

Oak: Southern Oak is strong and durable with a beautiful grain that is easy to stain. Generally available in 6' - 12' lengths. Long lengths are rare.

Cherry & American Cherry: Spectacular in both color and grain. The sapwood in American Cherry adds a white variation to it's pure red coloring. Cherry that's completely red is considered premium and is not typical of standard stock – it must be specially quoted when "all red" is required.

Mahogany: Deep rich coloration from pale reddish to dark brown. Flecking is typical.

Maple: Light in color. May be stained or clear coated. Available in hard or soft Maple. Check stock for availability when one or the other is specifically required.

Alder: Stylish and rustic. Most profiles are Superior Alder grade. Knotty Alder is considered premium. Longest length available is 10' framegrade.



1-9/16" TO 2-1/2" CASING

√ lengths available: 6' thru 16'



107-0 1/2 x 1-9/16 Oak #711 Casing




108-0 5/8 x 2-3/8 Oak #711 Casing 108P 5/8 x 2-3/8 Poplar #711 Casing 108ALD 5/8 x 2-3/8 Alder #711 Casing 108MH 5/8 x 2-3/8 Mahogany #711 Casing



102-0 5/8 x 1-5/8 Oak S/L Casing



115-0 5/8 x 2-7/16 Oak Universal Casing



179-0 7/8 x 2 Oak Malibu Casing 179P 7/8 x 2 Poplar Malibu Casing 7/8 x 2 Alder Malibu Casing 179ALD 179C 7/8 x 2 Cherry Malibu Casing 179MH 7/8 x 2 Mahogany Malibu Casing 7/8 x 2 Maple Malibu Casing 179MP



183 P	13/16 x 2-7/16	Poplar #275 Casing
183C	13/16 x 2-7/16	Cherry #275 Casing
183MH	13/16 x 2-7/16	Mahogany #275 Casing
183MP	13/16 x 2-7/16	Maple #275 Casing





53


*Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



2-1/2" CASING

(items are approximate scale only)






128-0	11/16 x 2-1/2	Oak Bel-Air Casing
128P	11/16 x 2-1/2	Poplar Bel-Air Casing
128ALD	11/16 x 2-1/2	Alder Bel-Air Casing
128C	11/16 x 2-1/2	Cherry Bel-Air Casing
128MH	11/16 x 2-1/2	Mahogany Bel-Air Casing
128MP	11/16 x 2-1/2	Maple Bel-Air Casing



150-0	11/16 x 2-1/2	Oak Cape Cod Casing
150 P	11/16 x 2-1/2	Poplar Cape Cod Casing
150ALD	11/16 x 2-1/2	Alder Cape Cod Casing
150C	11/16 x 2-1/2	Cherry Cape Cod Casing
150MH	11/16 x 2-1/2	Mahogany Cape Cod Casing
150MP	11/16 x 2-1/2	Maple Cape Cod Casing



168-0 11/16 x 2-1/2 **Oak Crescent Casing** 168P 11/16 x 2-1/2 **Poplar Crescent Casing**




182ALD 11/16 x 2-1/2 Alder Palisade Casing



176P 3/4 x 2-1/2 Poplar Howe Casing



120 -0	13/16 x 2-1/2	Oak 2RE Casing
120P	13/16 x 2-1/2	Poplar 2RE Casing
120ALD	13/16 x 2-1/2	Alder 2RE Casing
120 C	13/16 x 2-1/2	Cherry 2RE Casing
120MH	13/16 x 2-1/2	Mahogany 2RE Casing
120MP	13/16 x 2-1/2	Maple 2RE Casing



159P 1 x 2-1/2 Poplar Hermosa Casing


*Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.

2-7/8" TO 3-1/4" CASING

₩ lengths available: 6' thru 16'



119-0 11/16 x 2-7/8 Oak Colonial Casing 119P 11/16 x 2-7/8 Poplar Colonial Casing



125-0	11/16 x 2-7/8	Oak Newport Casing
125P	11/16 x 2-7/8	Poplar Newport Casing
125ALD	11/16 x 2-7/8	Alder Newport Casing
125KA	11/16 x 2-7/8	Knotty Alder Newport Casing
125C	11/16 x 2-7/8	Cherry Newport Casing
125MH	11/16 x 2-7/8	Mahogany Newport Casing
125MP	11/16 x 2-7/8	Maple Newport Casing



114-0 5/16 x 3-1/4 Oak Mullion Casing



129-0	3/4 x 3-1/4	Oak Bel-Air Casing
129P	3/4 x 3-1/4	Poplar Bel-Air Casing
129ALD	3/4 x 3-1/4	Alder Bel-Air Casing
129KA	3/4 x 3-1/4	Knotty Alder Bel-Air Casing
129C	3/4 x 3-1/4	Cherry Bel-Air Casing
129MH	3/4 x 3-1/4	Mahogany Bel-Air Casing
129MP	3/4 x 3-1/4	Maple Bel-Air Casing


^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



3-1/4" CASING

(items are approximate scale only)






161-0 11/16 x 3-1/4 **Oak Cambridge Casing**



CA326-0 3/4 x 3-1/4 Oak 4 Reed Casing • CA326P 3/4 x 3-1/4 Poplar 4 Reed Casing



139-0	13/16 x 3-1/4	Oak 2RE Casing	139MH	13/16 x 3-1/4
139P	13/16 x 3-1/4	Poplar 2RE Casing	139MP	13/16 x 3-1/4
139ALD	13/16 x 3-1/4	Alder 2RE Casing		
139KA	13/16 x 3-1/4	Knotty Alder 2RE Casing		
139C	13/16 v 3-1//	Cherry 2RF Casing		




160-0	1-1/8 x 3-1/4	Oak Hermosa Casing
160P	1-1/8 x 3-1/4	Poplar Hermosa Casing
160ALD	1-1/8 x 3-1/4	Alder Hermosa Casing
160KA	1-1/8 x 3-1/4	Knotty Alder Hermosa Casing
160 C	1-1/8 x 3-1/4	Cherry Hermosa Casing
160MH	1-1/8 x 3-1/4	Mahogany Hermosa Casing
160MP	1-1/8 x 3-1/4	Maple Hermosa Casing

^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.

Mahogany 2RE Casing Maple 2RE Casing

3-3/8" TO 3-1/2" CASING


√ lengths available: 6′ thru 16′



180P 1-3/8 x 3-3/8 Poplar Malibu Casing




126-0 3/4 x 3-1/2 **Oak Crescent Casing 126P** 3/4 x 3-1/2 **Poplar Crescent Casing**



 155-0
 11/16 x 3-1/2
 Oak Cape Cod Casing

 155P
 11/16 x 3-1/2
 Oak Cape Cod Casing

 155ALD
 11/16 x 3-1/2
 Alder Cape Cod Casing



156-0 11/16 x 3-1/2 Oak Colonial Casing

^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.




3-1/2" CASING

(items are approximate scale only)






CA364P 13/16 x 3-1/2 Poplar Tuscany Casing



177P 1 x 3-1/2 Poplar Howe Casing



 165P
 1-1/16 x 3-1/2
 Poplar #275 Casing
 165C
 1-1/16 x 3-1/2
 Cherry #275 Casing


 165ALD
 1-1/16 x 3-1/2
 Alder #275 Casing
 165MH
 1-1/16 x 3-1/2
 Mahogany #275 Casing

 165KA
 1-1/16 x 3-1/2
 Knotty Alder #275 Casing
 165MP
 1-1/16 x 3-1/2
 Maple #275 Casing

^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



59




^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



4-1/4" TO 5-1/2" CASING

(items are approximate scale only)






STOP





202-0 3/8 x 1-1/4 Oak 1RE Stop 202P 3/8 x 1-1/4 Poplar 1RE Stop



 209-0
 1/2 x 1-1/2
 Oak 1RE Stop

 209P
 1/2 x 1-1/2
 Poplar 1RE Stop

 209ALD
 1/2 x 1-1/2
 Alder 1RE Stop

 209C
 1/2 x 1-1/2
 Cherry 1RE Stop

 209MH
 1/2 x 1-1/2
 Mahogany 1RE Stop

 209MP
 1/2 x 1-1/2
 Maple 1RE Stop



 210-0
 1/2 x 1-3/4
 Oak Ogee Stop

 210P
 1/2 x 1-3/4
 Poplar Ogee Stop

 210ALD
 1/2 x 1-3/4
 Alder Ogee Stop

BASE SHOE CORNER

BASE SHOE



Base Shoe Corner

Base Shoe Corner	
3/8 x 3/4	
300-OW	Oak
1/2 x 3/4	
300B-OW	Oak
300BPW	Poplar
300BALDW	Alder
300BCW	Cherry
300BMHW	Mahogany
300BMPW	Maple
3/8 x 3/4 (goes o	ver 3/8" or 7/16")
3001-OW	Oak
3/8 x 3/4 (goes o	ver 1/2" or 9/16")
3002-OW	Oak
1/2 x 3/4 (goes o	ver 3/8" or 7/16")
3001B-OW	Oak
3001BMPW	Maple
1/2 x 3/4 (goes o	ver 1/2" or 9/16")
3002B-OW	Oak
3002BPW	Poplar
3002BALDW	Alder
3002BMPW	Maple



Base Shoe
3/8 x 3/4

300-0 Oak
1/2 x 3/4


300B-0 Oak
300BP Poplar
300BALD Alder
300BC Cherry
300BMH Mahogany

Maple

300BMP




2-1/2" TO 3-3/4" BASE





311ALD

311MH





 324-0
 9/16 x 3-3/4
 Oak Hermosa Base

 324P
 9/16 x 3-3/4
 Poplar Hermosa Base

 324ALD
 9/16 x 3-3/4
 Alder Hermosa Base

 324C
 9/16 x 3-3/4
 Cherry Hermosa Base

 324MH
 9/16 x 3-3/4
 Mahogany Hermosa Base

 324MP
 9/16 x 3-3/4
 Maple Hermosa Base

*Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.

3/8 x 3-1/2 Alder #711 Base

3/8 x 3-1/2 Mahogany #711 Base

Base

3-3/4" TO 4" BASE

√ lengths available: 6′ thru 16′









329C 9/16 x 3-7/8 **Cherry Newport Base** 329MH 9/16 x 3-7/8 **Mahogany Newport Base** 329MP 9/16 x 3-7/8

Maple Newport Base



318-0 9/16 x 4 Oak Cape Cod Base 318P 9/16 x 4 Poplar Cape Cod Base 318MP 9/16 x 4 Maple Cape Cod Base 318ALD 9/16 x 4 Alder Cape Cod Base 318C 9/16 x 4 Cherry Cape Cod Base 318MH 9/16 x 4 Mahogany Cape Cod Base 318MP 9/16 x 4 Maple Cape Cod Base

63


^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



4-1/4" BASE


(items are approximate scale only)

√ lengths available: 6' thru 16'




118P

Poplar Colonial Base






314MP-4 9/16 x 4-1/4 Maple #620 Base




hardwoods | BASE

4-1/4" TO 4-3/8" BASE

♥ lengths available: 6' thru 16'







325P 9/16 x 4-3/8
Poplar #175 Base
325ALD 9/16 x 4-3/8
Alder #175 Base
325C 9/16 x 4-3/8
Cherry #175 Base

325MH 9/16 x 4-3/8

Mahogany #175 Base


65


325MP 9/16 x 4-3/8 **Maple #175 Base**

5" TO 5-1/4" BASE

(items are approximate scale only)


√ lengths available: 6' thru 16'







118P-5 9/16 x 5-1/4 **Poplar Colonial Base**



315P 9/16 x 5-1/4
Poplar #618 Base
315ALD 9/16 x 5-1/4
Alder #618 Base

5-1/4" TO 5-3/8" BASE

√ lengths available: 6′ thru 16′



318B-0	9/16 x 5-1/4
JIOD-U	9/16 X 5-1/4

Oak "B" Cape Cod Base

318BP 9/16 x 5-1/4

Poplar "B" Cape Cod Base

318BALD 9/16 x 5-1/4

Alder "B" Cape Cod Base

318BC 9/16 x 5-1/4


Cherry "B" Cape Cod Base

318BMH 9/16 x 5-1/4

Mahogany "B" Cape Cod Base


318BMP 9/16 x 5-1/4

Maple "B" Cape Cod Base



328P 9/16 x 5-1/4 Poplar Colonial Base 328ALD 9/16 x 5-1/4

Alder Colonial Base



338P	9/16 x 5-3/8
	Poplar #175 Base
338C	9/16 x 5-3/8
	Cherry #175 Base
338MH	9/16 x 5-3/8
	Mahogany #175 Base

338MP 9/16 x 5-3/8 **Maple #175 Base**


67




5-3/4" TO 6-1/4" BASE

(items are approximate scale only)

✓ lengths available: 6' thru 16'



383-05/8 x 6Oak 1EE Craftsman Base383P5/8 x 6Poplar 1EE Craftsman Base383ALD5/8 x 6Alder 1EE Craftsman Base383KA5/8 x 6Knotty Alder 1EE Craftsman Base383C5/8 x 6Cherry 1EE Craftsman Base383MH5/8 x 6Mahogany 1EE Craftsman Base383MP5/8 x 6Maple 1EE Craftsman Base



 342ALD
 5/8 x 6 Alder #175 Base

 342KA
 5/8 x 6 Knotty Alder #175 Base

 342P
 5/8 x 6-1/4 Poplar #175 Base

 342C
 5/8 x 6-1/4 Cherry #175 Base

 342MH
 5/8 x 6-1/4 Mahogany #175 Base


 342MP
 5/8 x 6-1/4 Maple #175 Base


^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.















69

ELandELWoodProducts.com hardwoods | BASE



6" TO 7-1/4" BASE

(items are approximate scale only)







71

7-1/4" BASE (items are approximate scale only) ₩ lengths available: 6' thru 16' 333P 340P 11/16 x 7-1/4 11/16 x 7-1/4 378P 9/16 x 7-1/4 **Poplar Hermosa Base Poplar Mission Bay Base Poplar Tuscany Base** 340ALD 11/16 x 7-1/4 Alder Hermosa Base

ELandELWoodProducts.com hardwoods | BASE

^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.




1-5/8" TO 2-3/4" CROWN

√ lengths available: 6' thru 16'



400-0 1/2 x 1-5/8 **Oak Crown**





404-0 1/2 x 2-1/4 Oak Coloinal Crown



403P 1-7/16 x 1-3/4 **Poplar Cabinet Crown**








436-0	1/2 x 2-3/4	Oak Colonial Crown
436P	1/2 x 2-3/4	Poplar Colonial Crown
436ALD	1/2 x 2-3/4	Alder Colonial Crown
436C	1/2 x 2-3/4	Cherry Colonial Crown
436MH	1/2 x 2-3/4	Mahogany Colonial Crown
436MP	1/2 x 2-3/4	Maple Colonial Crown

^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.




3-1/4" TO 3-1/2" CROWN






405 B-0	1/2 x 3-1/4	Oak Beaded Colonial Crown
405BP	1/2 x 3-1/4	Poplar Beaded Colonial Crown
405BC	1/2 x 3-1/4	Cherry Beaded Colonial Crown
405BMH	1/2 x 3-1/4	Mahogany Beaded Colonial Crown
405BMP	1/2 x 3-1/4	Maple Beaded Colonial Crown



405-0	1/2 x 3-1/4	Oak Colonial Crown
405P	1/2 x 3-1/4	Poplar Colonial Crown
405ALD	1/2 x 3-1/4	Alder Colonial Crown
405KA	1/2 x 3-1/4	Knotty Alder Colonial Crown
405C	1/2 x 3-1/4	Cherry Colonial Crown
405MH	1/2 x 3-1/4	Mahogany Colonial Crown
405MP	1/2 x 3-1/4	Maple Colonial Crown



CR820P 11/16 x 3-1/2 **Poplar Crown**


^{*}Hardwood mouldings generally are available in 12° and under. For lengths over 12°, please check for availability.



3-3/4" TO 4-1/2" CROWN


(items are approximate scale only)

√ lengths available: 3' thru 16'



4-1/2" CROWN


✓ lengths available: 6' thru 16'





4-1/2" TO 4-3/4" CROWN


(items are approximate scale only)





5" TO 5-1/4" CROWN


₩ lengths available: 6' thru 16'






5-1/4" CROWN

(items are approximate scale only)








11/16 x 5-1/2 Poplar Pembroke Crown






CR830P 13/16 x 5-1/2 Poplar Lancaster Crown



6" CROWN

₩ lengths available: 6' thru 16'



 408-0
 1-1/8 x 6
 Oak Cornice

 408P
 1-1/8 x 6
 Poplar Cornice

 408C
 1-1/8 x 6
 Cherry Cornice

 408MH
 1-1/8 x 6
 Mahogany Cornice


 408MP
 1-1/8 x 6
 Maple Cornice



6" CROWN


(items are approximate scale only)

√ lengths available: 6' thru 16'





83





6-1/2" CROWN (items are approximate scale only) √ lengths available: 6' thru 16' 424P 1-1/8 x 6-1/2 **Poplar Carolina Crown** 424ALD 1-1/8 x 6-1/2 **Alder Carolina Crown**

 427-0
 7/8 x 6-1/2
 Oak Georgian Crown

 427P
 7/8 x 6-1/2
 Poplar Georgian Crown

 427ALD
 7/8 x 6-1/2
 Alder Georgian Crown


 427C
 7/8 x 6-1/2
 Cherry Georgian Crown

 427MH
 7/8 x 6-1/2
 Mahogany Georgian Crown

 427MP
 7/8 x 6-1/2
 Maple Georgian Crown



85






7-1/8" TO 7-1/4" CROWN

(items are approximate scale only)

√ lengths available: 6´ thru 16´




417B-0 3/4 x 7-1/8 Oak Beaded Colonial Crown

417BALD 3/4 x 7-1/4 Alder Beaded Colonial Crown 2 pc glue up at detail

417BC 3/4 x 7-1/4 Cherry Beaded Colonial Crown 417BMH 3/4 x 7-1/4 Mahogany Beaded Colonial Crown 417BMP 3/4 x 7-1/4 Maple Beaded Colonial Crown

7-1/4" CROWN

₩ lengths available: 6' thru 16'




417ALD 3/4 x 7-1/4 Alder Colonial Crown



8" CROWN

(items are approximate scale only)

√ lengths available: 6' thru 16'



 450P
 1 x 8
 Poplar Large 410 Crown


 450C
 1 x 8
 Cherry Large 410 Crown

 450MH
 1 x 8
 Mahogany Large 410 Crown

 450MP
 1 x 8
 Maple Large 410 Crown

9-5/8" CROWN

₩ lengths available: 6' thru 16'





CHAIR RAIL

√ lengths available: 6' thru 16'

648-0 1/2 x 2 Oak Bead & Barrel Chair Rail

648P 1/2 x 2


Poplar Bead & Barrel Chair Rail



1/2 x 2-1/2 Oak Chair Rail (items are approximate scale only)



652-0 11/16 x 2-5/8 Oak Colonial Chair Rail



654-0 1/2 x 2-7/8 Oak Beaded Chair Rail



649P 3/4 x 3

Poplar Bead & Barrel Chair Rail

649ALD 3/4 x 3

Alder Bead & Barrel Chair Rail

^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.

hardwoods 🗥





653-0 3/4 x 3 Oak Colonial Chair Rail 653P 3/4 x 3 Poplar Colonial Chair Rail 653C 3/4 x 3 Cherry Colonial Chair Rail 3/4 x 3 Mahogany Colonial Chair Rail 653MH 3/4 x 3 Maple Colonial Chair Rail 653MP



3/4 x 3-1/4 Poplar Chair Rail 656P




654P 3/4 x 3 Poplar Chair Rail (1/2" Rab't)



11/16 x 4-1/4 Oak Victorian Chair Rail **184-0**









PANEL MOLD





600-0 3/8 x 5/8 Oak Panel Mold 601-0 5/8 x 3/4 Oak Panel Mold 602-0 3/4 x 1 Oak Panel Mold 602ALD 3/4 x 1 Alder Panel Mold



630-0 7/8 x 1 Oak Panel Mold 630P 7/8 x 1 Poplar Panel Mold 630ALD 7/8 x 1 Alder Panel Mold 630C 7/8 x 1 Cherry Panel Mold 630MH 7/8 x 1 Mahogany Panel Mold 630MP 7/8 x 1 Maple Panel Mold



 632-0
 3/4 x 1-1/4
 Oak Raised Panel


 632P
 3/4 x 1-1/4
 Poplar Raised Panel

 632ALD
 3/4 x 1-1/4
 Alder Raised Panel

 632C
 3/4 x 1-1/4
 Cherry Raised Panel

 632MH
 3/4 x 1-1/4
 Mahogany Raised Panel

 632MP
 3/4 x 1-1/4
 Maple Raised Panel



^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



PANEL MOLD



 631-0
 3/4 x 1-5/16
 Oak Panel Mold

 631P
 3/4 x 1-5/16
 Poplar Panel Mold

 631ALD
 3/4 x 1-5/16
 Alder Panel Mold


 631C
 3/4 x 1-5/16
 Cherry Panel Mold

 631MH
 3/4 x 1-5/16
 Mahogany Panel Mold

 631MP
 3/4 x 1-5/16
 Maple Panel Mold



605-0 11/16 x 1-5/8 Oak Panel Mold 605ALD 3/4 x 1-5/8 Alder Panel Mold



617P 11/16 x 1-3/4 Poplar Panel Mold



(items are approximate scale only)

614-0 11/16 x 1-3/8
Oak Base Cap
614P 11/16 x 1-3/8
Poplar Base Cap
614C 11/16 x 1-3/8
Cherry Base Cap
614MH 11/16 x 1-3/8

Mahogany Base Cap 11/16 x 1-3/8



9/16 x 1-3/8 Oak Panel Mold





608-0 3/4 x 1-7/8

Oak Beauty M-400 Panel Mold



PANEL MOLD & CAP





621-0 13/16 x 2 Oak T&G Wainscot Cap with 3/4" Rab't 621P 13/16 x 2 Poplar T&G Wainscot Cap with 3/4" Rab't 621ALD 13/16 x 2 Alder T&G Wainscot Cap with 3/4" Rab't 13/16 x 2 Cherry T&G Wainscot Cap with 3/4" Rab't 621C 621MH 13/16 x 2 Mahogany T&G Wainscot Cap with 3/4" Rab't 621MP 13/16 x 2 Maple T&G Wainscot Cap with 3/4" Rab't



1-1/8 x 1-1/4 Oak Raised Panel Cap with 3/4" Rab't 613P 1-1/8 x 1-1/4 Poplar Raised Panel Cap with 3/4" Rab't




730-0 1/2 x 1-1/2 Oak Panel Cap with 1/2" Rab't



PANEL CAP

(items are approximate scale only)



*Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



SCREEN MOLD

1/4 x 3/4 Oak Flat Screen




591-0



3/16 x 3/4	Oak Scribe Mold
3/16 x 3/4	Poplar Scribe Mold
3/16 x 3/4	Alder Scribe Mold
3/16 x 3/4	Cherry Scribe Mold
3/16 x 3/4	Mahogany Scribe Mole
3/16 x 3/4	Maple Scribe Mold
	3/16 x 3/4 3/16 x 3/4 3/16 x 3/4 3/16 x 3/4

594-03/8 x 3/4Oak Cloverleaf Mold594P3/8 x 3/4Poplar Cloverleaf Mold594ALD3/8 x 3/4Alder Cloverleaf Mold594C3/8 x 3/4Cherry Cloverleaf Mold594MH3/8 x 3/4Mahogany Cloverleaf Mold594MP3/8 x 3/4Maple Cloverleaf Mold

ROPE



Oak Half Ro	ound	Alder Half Round		Maple Half	Maple Half Round	
HR617-0	3/8"	HR618ALD	1/2″	HR618MP	1/2"	
HR618-0	1/2"	HR619ALD	3/4"	HR619MP	11/16"	
HR619-0	3/4"	HR620ALD	1″	HR620MP	1″	
HR620-0	1″	HR621ALD	1-3/16"	HR621MP	1-3/16"	
HR621-0	1-3/16"	HR622ALD	1-3/8"	HR622MP	1-3/8"	
HR622-0	1-3/8"	HR623ALD	1-1/2"	HR623MP	1-1/2"	
HR623-0	1-1/2"	HR624ALD	1-3/4"	HR624MP	1-3/4"	
HR624-0	1-3/4"					
Poplar Half	Round	Cherry Half	Cherry Half Round		Oak Full Round	
				EBOOG OO		
HR617P	3/8"	HR617C	3/8″	FR626-0S	1-3/8"	
HR617P HR618P	3/8″ 1/2″	HR617C HR618C	3/8″ 1/2″	FR626-08 FR627-08	1-3/8″ 1-3/4″	
					1-3/4″	
HR618P	1/2″	HR618C	1/2″	FR627-0S	1-3/4″	
HR618P HR619P	1/2″ 11/16″	HR618C HR619C	1/2″ 11/16″	FR627-0S Poplar Full	1-3/4" Round	
HR618P HR619P HR620P	1/2" 11/16" 1"	HR618C HR619C HR620C	1/2" 11/16" 1"	FR627-0S Poplar Full FR626P	1-3/4" Round 1-3/8" 1-3/4"	
HR618P HR619P HR620P HR621P	1/2" 11/16" 1" 1-3/16"	HR618C HR619C HR620C HR621C	1/2" 11/16" 1" 1-3/16"	FR627-0S Poplar Full FR626P FR627P	1-3/4" Round 1-3/8" 1-3/4"	

^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.




HANDRAIL

951P

(items are approximate scale only)

√ lengths available: 6' thru 16'




3/8 x 1-1/4 Poplar Fillet

932P 1-1/2 x 1-7/8

Poplar Sm 6010 Handrail

932PP 1-1/2 x 1-7/8

Poplar Sm 6010 Handrail (plowed 1/4 x 1-1/8)



*Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.




99


(items are approximate scale only)

(plowed 1/4 x 1-1/4)

HANDRAIL

♥ lengths available: 6' thru 16'






933P 1-3/4 x 2-5/8 Poplar Majestic Handrail

933PP 1-3/4 x 2-5/8 **Poplar Majestic Handrail** (plowed 1/4 x 1-1/4)

ASTRAGAL

(items are approximate scale only)



 660-0
 3/4 x 1-5/8
 Oak Flat Astragal

 660P
 3/4 x 1-5/8
 Poplar Flat Astragal


 660ALD
 3/4 x 1-5/8
 Alder Flat Astragal

 660C
 3/4 x 1-5/8
 Poplar Flat Astragal

 660MH
 3/4 x 1-5/8
 Poplar Flat Astragal

 660MP
 3/4 x 1-5/8
 Poplar Flat Astragal

√ lengths available: 7' thru 16'






 661-0
 1-3/8 x 2-1/4
 Oak T-Astragal for 1-3/4" Door

 661ALD
 1-1/4 x 2-1/4
 Alder T-Astragal for 1-3/4" Door

 661MH
 1-1/4 x 2-1/4
 Mahogany T-Astragal for 1-3/4" Door

√ lengths available: 7′, 8′ & 10′



 663-0
 1-3/8 x 3
 Oak T-Astragal w/Kert for 1-3/4" Door

 663ALD
 1-3/8 x 3
 Alder T-Astragal w/Kert for 1-3/4" Door

 663MH
 1-3/8 x 3
 Mahogany T-Astragal w/Kert for 1-3/4" Door

√ lengths available: 7′, 8′ & 10′

*Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.

₩ lengths available: 7', 8' & 10'



NOSE & COVE

₩ lengths available: 6' thru 16'



 521-0
 1/2 x 1/2
 Oak Cove


 521P
 1/2 x 1/2
 Poplar Cove

 521ALD
 1/2 x 1/2
 Alder Cove

 521C
 1/2 x 1/2
 Cherry Cove

 521MH
 1/2 x 1/2
 Mahogany Cove

 521MP
 1/2 x 1/2
 Maple Cove



 523-0
 3/4 x 3/4
 Oak Cove


 523P
 3/4 x 3/4
 Poplar Cove

 523ALD
 3/4 x 3/4
 Alder Cove

 523C
 3/4 x 3/4
 Cherry Cove

 523MH
 3/4 x 3/4
 Mahogany Cove


 523MP
 3/4 x 3/4
 Maple Cove



 909-0
 1 x 1-5/8
 Oak Nose & Cove


 909P
 1 x 1-5/8
 Poplar Nose & Cove

 909ALD
 1 x 1-5/8
 Alder Nose & Cove



910-0 1-3/4 x 1-3/4 **Oak Rab't Nose & Cove** 910P 1-3/4 x 1-3/4 **Poplar Rab't Nose &Cove**






998P 1-1/16 x 4-1/2 Poplar Lintel


*Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



QUARTER / HALF / FULL ROUND



OUTSIDE CORNER GUARD




^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.




S4S

(items are approximate scale only)



T&G WAINSCOT




735P 9/16 x 3-1/4 Poplar Wainscot Base (3/8" Rab't)

736ALD 9/16 x 5 Alder Wainscot Base


*Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.




EXTERIOR MOLDS



612A-0 1-1/8 x 2 Oak 180 Eastern Brick Mold without Key 612AMH 1-1/8 x 2 Mahogany 180 Eastern Brick Mold without Key 612ALD 1-1/4 x 2 Mahogany 180 Eastern Brick Mold without Key



612BMH 1-1/8 x 2 Oak 180 Eastern Brick Mold with Key
612BMH 1-1/8 x 2 Mahogany 180 Eastern Brick Mold with Key
612BALD 1-1/4 x 2 Alder 180 Eastern Brick Mold with Key




 826-0
 7/8 x 1-1/4
 Oak Stucco Mold

 826ALD
 7/8 x 1-1/4
 Alder Stucco Mold

 826MH
 7/8 x 1-1/2
 Mahogany Stucco Mold

EXTERIOR SILLS

ye lengths available: 6' thru 16'



 80S
 1-1/4 x 7-1/8
 Beveled Oak Sill

 100S
 1-1/4 x 8-7/8
 Beveled Oak Sill

 120S
 1-1/4 x 11-1/4
 Beveled Oak Sill


^{*}Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



EXTERIOR SILLS


(items are approximate scale only)






1-1/4 x 7-1/4 Flat Oak SIII 10F0S 1-1/4 x 8-7/8 Flat Oak SIII 12F0S 1-1/4 x 11-1/4 Flat Oak SIII

THRESHOLDS







*Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



THRESHOLDS







*Hardwood mouldings generally are available in 12' and under. For lengths over 12', please check for availability.



INTERIOR DOOR JAMBS

Interior Door Jamb Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.

SIZE	SPECIES	6/8	8/0	RNDM. LINEAL
3-9/16	Superior Alder	3916ALDI6	3916ALDI8	3916ALDIL
4-9/16	Poplar	4916PI6	4916 PI 8	4916PIL
	Oak	4916 0 l6	4916 01 8	49160IL
4-5/8	Superior Alder	458ALDI6	458ALDI8	458ALDIL
4-3/4	Poplar	434PI6	434Pl8	434PIL
	Oak	434016	434018	4340IL
	Mahogany		434MHI8S	
4-7/8	Superior Alder	478ALDI6	478ALD18	478ALDIL
5-1/4	Poplar	514Pl6	514 Pl 8	514PIL
	Oak	514016	514018	5140IL
	Superior Alder	514ALDI6	514ALDI8	514ALDIL
	Mahogany		514MHI8S	
7-1/4	Poplar	714PI6	714 PI 8	714PIL
	Oak	714016	714018	7140IL
	Superior Alder	714ALDI6	714ALDI8	714ALDIL
	Mahogany		714MHI8S	
11-1/4	Poplar	1114PI6	1114 PI 8	1114PIL
	Oak	1114 0 l6	1114 0l 8	11140IL

Interior Door Jamb Specs


11/16" Thick

6/8 = 80-5/8" Below Dado

8/0 = 96-5/8" Below Dado

5 Pair Per Bundle

EXTERIOR DOOR FRAMES



Exterior Door Frame Kerfed for Weatherstrip 2-1/8" Door Rab't.

SIZE	SPECIES	6/8	8/0	RANDOM LINEAL
4-1/8	Oak	418W06	418W08	418WOL
	Poplar	418WP6	418WP8	418WPL
	Mahogany	418WM6	418WM8	418WML
4-5/8	Oak	458W06	458W08	458WOL
	Knotty Alder	-	458WKA8	-
5-1/4	Oak	514W06	514W08	514 WOL
	Poplar	514W P 6	514W P 8	514WPL
	Knotty Alder	_	514WKA8	-
	Mahogany	514WM6	514WM8	514WML
7-1/4	Oak	714W06	714W08	714W0L
	Poplar	714WP6	714WP8	714WPL
	Knotty Alder	-	714WKA8	-
	Mahogany	714WM6	714WM8	714WML

Exterior Door Frame Specs


1-3/4" doors only Jamb Thickness = 1-1/4" 6/8 = 82-1/2" Below Dado 8/0 = 98-1/2" Below Dado

No Screen Rabbet Single End Dado (Except on Lineal) 3 Pair Per Bundle Kerfing for Bullnose is Available Custom Widths Available



EXTERIOR DOOR FRAMES

(items are approximate scale only)



Exterior Door Frame for 1-3/4"

Standard - No Kerf 1-3/4" Door Rab't.

SIZE	SPECIES	6/8	8/0	RANDOM LINEAL
4-1/8	Oak	41806	41808	4180L
	Poplar	418 P 6	418 P 8	418PL
	Mahogany	418 M 6	418 M 8	418ML
4-1/2	Oak	41206	41208	412 0 L
4-5/8	Knotty Alder	-	458KA8	-
5-1/4	Oak	5140 E 6	5140E8	5140EL
	Poplar	514 PE 6	514PE8	514PEL
	Knotty Alder	-	514KA8	-
	Mahogany	514 ME 6	514ME8	514MEL
7-1/4	Oak	7140E6	7140E8	7140EL
	Poplar	714PE6	714PE8	714PEL
	Knotty Alder	-	714KA8	-
	Mahogany	714 ME 6	714 ME 8	714MEL

Exterior Door Frame Specs


1-3/4" doors only Jamb Thickness = 1-1/4" 6/8 = 82-1/2" Below Dado 8/0 = 98-1/2" Below Dado

No Screen Rabbet Single End Dado (Except on Lineal) 3 Pair Per Bundle Kerfing for Bullnose is Available Custom Widths Available

ultralite & basic mdf



FOR PAINTGRADE AND ARCHITECTURAL MILLWORK





ultralite & basic mdf

FOR PAINTGRADE AND ARCHITECTURAL MILLWORK



Ultralite MDF and Basic MDF are paint grade products that provide wonderful architectural profiles at amazingly affordable prices.

Ultralite MDF Mouldings are imported from Chile and are produced from sustainable forestry management. Ultralite is not harvested from natural forests nor does its fiber come from old-growth trees or genetically modified organisms. The wood fibers, along with the addition of resin, combine to produce an ultra lightweight MDF-similar to the weight of Pine. While typical MDF mouldings are much heavier in weight and when installed can "volcano" or pucker around nails, Ultralite MDF mouldings nail more like pine mouldings. The combination of light weight and better nailing makes Ultralite MDF mouldings an ideal choice. Produced domestically, Basic MDF has helped in replacing Finger Joint Pine as the only reasonably priced paint grade product of choice. Ultralite and Basic MDF are the mouldings of choice for multimillion dollar homes, as well as entry to high-end tract housing. MDF is ideal for any home or office to improve on typical mouldings without adding increased costs.

With costs less than Finger Joint Pine, Ultralite and Basic MDF are preprimed, have no joints, will not crack, split, twist or warp and never has raised or inconsistent grain.



1-5/8" TO 2-1/4" CASING

√ lengths available: 7′ & 17′



102LDF 5/8 x 1-5/8 Lightweight Flat Bevel Casing



120MUL 9/16 x 2-1/4 Ultralite 2RE Casing




107MUL 9/16 x 1-5/8 **Ultralite #711 Casing 107LDF Lightweight #711 Casing**



152MUL 5/8 x 2-1/4 **Ultralite #356 Casing 152LDF Lightweight #356 Casing**



130MUL 5/8 x 1-5/8 Ultralite Moulded Casing



158MUL-2 9/16 x 2-1/4 Ultralite 4 Flute & Reed Casing (Reversible) lengths available: 7' & 16'



121MUL 9/16 x 2 Ultralite Clamshell Casing 121LDF Lightweight Clamshell Casing



162LDF 5/8 x 2-1/4 **Lightweight #366 Casing**

2-7/16" TO 2-1/2" CASING

(items are approximate scale only)





132MUL 11/16 x 2-7/16 Ultralite Palisade Casing



110MUL 5/8 x 2-1/2 Ultralite 3 Step Casing



167MUL 11/16 x 2-7/16 **Ultralite #275 Casing**



128MUL 11/16 x 2-1/2 Ultralite Bel-Air Casing



178MUL 11/16 x 2-7/16 Ultralite Howe Casing




134MUL 5/8 x 2-1/2 Ultralite Bayport Casing



 108MUL
 5/8 x 2-1/2
 Ultralite #711 Casing

 108LDF
 Lightweight #711 Casing



137MUL 5/8 x 2-1/2 Ultralite Carmel Casing




2-1/2" TO 2-7/8" CASING


√ lengths available: 7′ & 17



150MUL 5/8 x 2-1/2 Ultralite Cape Cod Casing



169MUL 11/16 x 2-1/2 Ultralite Tudor Casing



157MUL 1-1/4 x 2-1/2 Ultralite Coronado Casing



168MUL 3/4 x 2-5/8 Ultralite Crescent Casing



159MUL 1 x 2-1/2 Ultralite Hermosa Casing



181MUL 1 x 2-9/16 Ultralite Malibu Casing



164MUL 1-1/4 x 2-1/2 Ultralite Bell Court Casing



119MUL 11/16 x 2-7/8 Ultralite Colonial Casing

2-7/8" TO 3-1/4" CASING

(items are approximate scale only)





125MUL 11/16 x 2-7/8 Ultralite Newport Casing 125LDF Lightweight Newport Casing




129MUL 3/4 x 3-1/4 Ultralite Bel-Air Casing ✓ lengths available: 17′ only



127MUL 5/8 x 3 Ultralite New Hampshire Casing



133MUL 11/16 x 3-1/4 Ultralite Palisade Casing



165MUL 11/16 x 3 **Ultralite #275 Casing**



135MUL 11/16 x 3-1/4 Ultralite Monterey Casing



160MUL 1-3/16 x 3-3/16 Ultralite Hermosa Casing



139MUL 11/16 x 3-1/4 Ultralite 2RE Casing

3-1/4" TO 3-3/8" CASING

√ lengths available: 17



161MUL 11/16 x 3-1/4 Ultralite Cambridge Casing



176MUL 11/16 x 3-1/4 Ultralite #356 Casing



170MUL 1 x 3-1/4 Ultralite Tudor Casing



158MUL-3 9/16 x 3-3/8 Ultralite 5 Flute & Reed Casing (Reversible) lengths available: 7' & 16'

3-3/8" TO 3-1/2" CASING

(items are approximate scale only)

√ lengths available: 17




180MUL 1-3/16 x 3-3/8 Ultralite Malibu Casing



155MUL 11/16 x 3-1/2 Ultralite Cape Cod Casing




126MUL 1 x 3-1/2 Ultralite Crescent Casing




147MUL 1-3/16 x 3-1/2 Ultralite Savannah Casing

3-1/2" TO 3-3/4" CASING

✓ lengths available: 17




166MUL 1 x 3-1/2 Ultralite #275 Casing



173MUL 1-1/4 x 3-1/2 Ultralite Crescent Casing



177MUL 1-1/16 x 3-1/2 Ultralite Howe Casing



175MUL 7/8 x 3-3/4 Ultralite Tuscany Casing

117


4-1/4" CASING

(items are approximate scale only)


√ lengths available: 17



136MUL 13/16 x 4-1/4 Ultralite Monterey Casing



140MUL 7/8 x 4-1/4 Ultralite Tuscany Casing




143MUL 1-3/16 x 4-1/4 Ultralite Williamsburg Casing



148MUL 1-3/4 x 4-1/4 Ultralite Malibu Casing

4-1/4" TO 5-1/2" CASING

√ lengths available: 17



185MUL 1-1/4 x 4-1/4 Ultralite Carolina Casing



145MUL 3/4 x 4-1/2 Ultralite 2RE Casing



144MUL 1 x 5-1/2 Ultralite 1RE Header



171MUL 9/16 x 5-1/2 Ultralite 8 Flute & Reed Casing (Reversible) lengths available: 16'

DOOR STOP

(items are approximate scale only)



202MUL 3/8 x 1-1/4 Ultralite 2RE Stop 202LDF Lightweight 2RE Stop



203MUL 1/2 x 1-3/8 Ultralite 2RE Stop



210MUL 1/2 x 1-3/4 Ultralite Ogee Stop

2-1/4" TO 2-1/2" BASE

y lengths available: 16'



304MUL 3/8 x 2-1/4 **Ultralite Streamline Base** 304LDF **Lightweight Streamline Base**



M304LDF 3/8 x 2-1/4 **Lightweight Reversible Base**



310MUL 3/8 x 2-1/2 Ultralite #711 Base 310LDF-3/8 3/8 x 2-1/2 Lightweight #711 Base



319LDF 1/2 x 2-1/2 Lightweight #356 Base

3-1/4" TO 3-1/2" BASE



314MUL-3 9/16 x 3-1/4 **Ultralite #623 Base 314LDF Lightweight #623 Base**



320MUL 1/2 x 3-1/4 **Ultralite #356 Base**



351MUL 9/16 x 3-1/4
Ultralite Sierra Base



366LDF 9/16 x 3-1/4 **Lightweight #366 Base**



311MUL 3/8 x 3-1/2 **Ultralite #711 Base 311LDF** 7/16 x 3-1/2 **Lightweight #711 Base**



335MUL 7/16 x 3-1/2 Ultralite Monterey Base

3-1/2″ BASE





118MUL-3 9/16 x 3-1/2 Ultralite Colonial Base



307MUL 9/16 x 3-1/2 **Ultralite Bullnose Base**



322MUL 1/2 x 3-1/2 Ultralite 3 Step Base



325MUL-3 9/16 x 3-1/2 **Ultralite #175 Base**



339MUL 9/16 x 3-1/2 Ultralite Crescent Base



388MUL-3 1/2 x 3-1/2 Ultralite 1RE Base

3-3/4" TO 4" BASE

✓ lengths available: 16'



324MUL 9/16 x 3-3/4 **Ultralite** Hermosa Base



313MUL 7/16 x 3-7/8 Ultralite **Cape Cod Base**



Ultralite Newport Base Lightweight 329LDF **Newport Base**




318MUL 9/16 x 4 Ultralite Cape Cod Base Lightweight 318LDF **Cape Cod Base**

4-3/16" TO 4-1/4" BASE

(items are approximate scale only)

√ lengths available: 16




125

(items are approximate scale only)

4-1/4" TO 4-1/2" BASE


✓ lengths available: 16'



4-1/2" TO 5-1/4" BASE


(items are approximate scale only)

√ lengths available: 16





√ lengths available: 16[°]



5-1/4" BASE


(items are approximate scale only)

✓ lengths available: 16'



5-1/4" TO 5-1/2" BASE

✓ lengths available: 16'




129

5-1/2" TO 6" BASE


(items are approximate scale only)

✓ lengths available: 16^o






6" TO 7-1/4" BASE



7-1/4" BASE

(items are approximate scale only)


₩ lengths available: 16





7-1/4" BASE

√ lengths available: 16



7-1/4" TO 8" BASE

√ lengths available: 16

(items are approximate scale only)








3/4 x 7-1/4 Ultralite Classic Base

1 x 7-3/8 **Ultralite Savannah Base**

331MUL 9/16 x 8 Ultralite Newport Base






8-1/2" TO 9-1/4" BASE










384MUL 9/16 x 9-1/4 Ultralite #175 Base


EL&EL MOULDING 2013 | southern edition

1-1/2" TO 2-5/8" CROWN & CORNICE


√ lengths available: 16′



438MUL 1-1/4 x 1-1/2 Ultralite Pediment Crown



460MUL-2 9/16 x 2-3/8 Ultralite Craftsman Crown




420MUL 9/16 x 1-7/8 Ultralite Bed Mold



402MUL 9/16 x 2-1/2 Ultralite Bed Mold



419MUL 1 x 1-7/8 Ultralite Corner Mold




401MUL 9/16 x 2-5/8 **Ultralite Colonial Crown**


2-3/4" TO 3-3/8" CROWN & CORNICE

(items are approximate scale only)

✓ lengths available: 16'



440MUL 1-3/8 x 2-3/4 Ultralite Classic Pediment



405MUL 9/16 x 3-1/4 **Ultralite Colonial Crown 405LDF Lightweight Colonial Crown**



439MUL 1-1/4 x 3 Ultralite Pediment



421MUL 3/4 x 3-3/8 Ultralite Carolina Crown


f 🔼


(items are approximate scale only)

3-7/16" TO 4-1/4" CROWN & CORNICE

✓ lengths available: 16







460MUL-4

11/16 x 4-1/4 Ultralite Craftsman Crown

7/8 x 4-1/2 Ultralite Cornice

409MUL




4-1/2" TO 4-5/8" CROWN & CORNICE



412MUL 9/16 x 4-1/2 Ultralite Georgian Crown

422MUL 9/16 x 4-1/2 Ultralite Savannah Crown




430MUL 1 x 4-1/2 Ultralite Single Bead Crown

7/8 x 4-5/8 Ultralite MDF Cornice 408MUL-4

4-5/8" TO 5-1/16" CROWN & CORNICE


(items are approximate scale only)

✓ lengths available: 16'



5-1/4" CROWN & CORNICE


✓ lengths available: 16



460MUL-5 11/16 x 5-1/4 Ultralite Craftsman Crown


5-1/2" TO 5-5/8" CROWN

(items are approximate scale only)



Ultralite Contemporary Crown


6" CROWN (items are approximate scale only) ✓ lengths available: 16^o



410LDF Lightweight Crown down, as the option shown here.

6" TO 6-1/4" CROWN & CORNICE

(items are approximate scale only)




435MUL 1-1/8 x 6-1/4 Ultralite Regal Crown

6-1/2" CROWN (items are approximate scale only) ✓ lengths available: 16' 416MUL 9/16 x 6-1/2 Ultralite Colonial Crown

424MUL 1 x 6-1/2 Ultralite Carolina Crown


6-1/2" CROWN

(items are approximate scale only)




431MUL 1 x 6-1/2 Ultralite Single Bead Crown





415MUL 11/16 x 7 Ultralite Classic Crown

149



445MUL 1-1/4 x 7-1/4 Ultralite Contemporary Crown



8" CROWN

✓ lengths available: 16^o



450MUL 1 x 8 Ultralite Large 410 Crown 450LDF **Lightweight Large 410 Crown**

8" CROWN

(items are approximate scale only)


✓ lengths available: 16^o



428MUL 1-1/16 x 8 Ultralite Georgian Crown

8-1/2" CROWN

√ lengths available: 16[°]




432MUL 1-1/8 x 8-1/2 Ultralite Corona Crown

8-1/2" CROWN

(items are approximate scale only)

✓ lengths available: 16'



454MUL 1-1/8 x 8-1/2 Ultralite Del Mar Crown

8-7/8" CROWN

√ lengths available: 16




449MUL 11/16 x 8-7/8 Ultralite Colonial Crown

11-1/4" CROWN

(items are not to scale)

✓ lengths available: 16'



429MUL 1 x 11-1/4 Ultalite Georgian Crown



CHAIR RAIL



651MUL 9/16 x 2-1/2 Ultralite Chair Rail



655MUL 9/16 x 2-5/8
Ultralite
Colonial Chair Rail



653MUL 11/16 x 3
Ultralite
Colonial Chair Rail



649MUL 3/4 x 3 Ultralite Bead & Barrel Chair Rail



648MUL 1 x 3 Ultralite Bolection Chair Rail



647MUL 1 x 3-1/2 Ultralite Malibu Chair Rail

WAINSCOT, PANEL & BASE CAP

✓ lengths available: 16'



738MUL 1-1/8 x 1-3/4
Ultralite Wainscot Base Cap
with 5/16" x 5/8" Rab't



737MUL 3/4 x 2 Ultralite Wainscotting Cap with 1/2" x 9/16" Rab't

(items are approximate scale only)



733MUL 1-1/4 x 2 Ultralite Panel Cap with 3/4" Rab't



729LDF 9/16 x 2-1/4
Lightweight Wainscot Cap
with 3/8" Rab't



734MUL 1 x 2-1/2 Ultralite Panel Cap with 3/8" Rab't



735MUL 1/2 x 3-1/4
Ultralite Wainscot Base
736MUL 1/2 x 5
Ultralite Wainscot Base

T&G WAINSCOT

√ lengths available: 16



2000LDF 3/8 x 3-1/4 **Beaded T&G Wainscot 2002LDF** 3/8 x 5-1/2 **Beaded T&G Wainscot**



2001LDF 3/8 x 3-1/4 **Flat T&G Wainscot 2003LDF** 3/8 x 5-1/2 **Flat T&G Wainscot**



2005MUL 6mm x 7" Ultralite MDF Beaded T&G Wainscot lengths available: 8'

CLEAT (UNPRIMED)

✓ lengths available: 16



10FB 9/16 x 1-1/2 Cleat

FLAT ASTRAGAL / PANEL MOLD

lengths available: 7′, 8′ & 16′

660MUL 11/16 x 1-5/8 Ultralite Flat Astragal/Panel Mold

HEADER SKIRT

HOOK (UNPRIMED)

√ lengths available: 16



970LDF 11/16 x 1-1/4 **2EE Header Skirt**



15FB 9/16 x 3-1/4 **1 EE Milled Hook**

WINDOW STOOL (UNPRIMED)





986LDF 11/16 x 4-3/4 Lightweight Beveled Stool 987LDF 11/16 x 6-3/4 Lightweight Beveled Stool



988LDF 1 x 4-3/4 Lightweight Beveled Stool 989LDF 1 x 7-1/4 Lightweight Beveled Stool



990LDF 11/16 x 4-3/4 Lightweight Ogee Stool 991LDF 11/16 x 6-3/4 Lightweight Ogee Stool



S4S

✓ lengths available: 16'



Lightweight Primed MDF - S4S

713LDF	11/16 x 1-1/2	S4S Primed
714LDF	11/16 x 2-1/2	S4S Primed
715LDF	11/16 x 3-1/2	S4S Primed



1106LDF 11/16 x 11-1/4 2EE Primed

750LDF	11/16 x 5-1/2	S4S Primed
751LDF	11/16 x 7-1/4	S4S Primed
752LDF	11/16 x 9-1/4	S4S Primed
753LDF	11/16 x 11-1/4	S4S Primed

WALL CAP

✓ lengths available: 16'



Lightweight Primed MDF - Wall Cap 1098LDF 11/16 x 1-1/2 **2EE Primed 1099LDF** 11/16 x 2-1/2 **2EE Primed**



SHELVING (UNPRIMED)

(items are approximate scale only)





Bullnose Shelving

11MDF-BN 11/16 x 11-1/4 **12MDF-BN** 11/16 x 15-1/4



Shelving E2E

11MDF 11/16 x 11-1/4 **12MDF** 11/16 x 15-1/4




Square Edge Shelving 13MDF 11/16 x 23-1/4




Bullnosed Particle Board Shelving

11PB	5/8 x 11-1/4	Ampine	11HUM	5/8 x 11-1/4 Fir	¬
12PB	5/8 x 15-1/4	Ampine	12HUM	5/8 x 15-1/4 Fir	NOTE: Dark in color
13PB	5/8 x 23-1/4	Ampine	13HUM	5/8 x 23-1/4 Fir	
16PB	3/4 x 11-1/4	Ampine			
17PB	3/4 x 15-1/4	Ampine			

MELAMINE SHELVING



√ lengths available: 8'




Melamine Pre-Drilled Dividers

All dividers come pre-drilled, all the way through. Holes are 3/16" in diameter and spaced 1-1/4" apart.

MD1	5/8 x 11-1/2	2 Sets of Holes
MD2	5/8 x 15-1/2	2 Sets of Holes
MD3	5/8 x 23-1/2	3 Sets of Holes
MD4	3/4 x 11-1/2	2 Sets of Holes
MD5	3/4 x 15-1/2	2 Sets of Holes
MD6	3/4 x 23-1/2	3 Sets of Holes

✓ lengths available: 7



INTERIOR DOOR JAMBS

(items are approximate scale only)



Interior Door Jamb

Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request. All interior MDF Door Jambs come dadoed, except for the 17´ Lineal.

SIZE	SPECIES	6/8	8/0	17' LINEAL
4-9/16	MDF Primed	4916MI6	4916MI8	4916MIL
4-3/4	MDF Primed	434MI6	434MI8	434MIL
5-1/4	MDF Primed	514MI6	514MI8	514MIL
6-9/16	MDF Primed	6916MI6	6916MI8	6916MIL
7-1/4	MDF Primed	714MI6	714MI8	714MIL



BUILD-UPS

Build-up combinations enable you to combine multiple moulding profiles to produce an extraordinary effect.

Build-ups combine two or more moulding profiles to create a completely new design and customized look and make it easy to create custom details without the custom expense.

Build-ups for ceiling, door and floor applications can consist of a wide variety of arrangements. By using different combinations of Crown, Base, Casing, S4S, and Panel Mold you can make a more impressive statement with your moulding choices.

We invite you to look through the following section to begin the process of unlimited creativity and imagination.





ultralite & basic **mdf**










BUILD-UPS




BUILD-UPS









BUILD-UPS (items are approximate scale only)



BUILD-UPS



BUILD-UPS (items are approximate scale only)






BUILD-UPS









vg doug fir & redwood




STRONG AND DURABLE INSIDE AND OUT

		inside astragal base casing crown cove door stop exterior mold full round handrail panel cap	176175177179182181183
		quarter round redwood exterior mold redwood lattice redwood miscellaneous redwood water table s4s t&g wainscot	183181184184184



vg doug fir & redwood

STRONG AND DURABLE INSIDE AND OUT



Vertical Grain Douglas Fir (denoted by a VG in the part number) is available for casing, base, door stop, astragal and S4S moldings. VG Fir has beautiful up and down (vertical) grains.

Handrails and Full Round are made of mixed grain Douglas Fir which include some vertical grains, but will also have swirl in the grain.

Douglas Fir, considered part of the softwood family, has long been used as a closet pole because of it's extreme strength. VG or Douglas Fir can be painted or stained beautifully.


Redwood's rot resistant properties lend itself to exterior applications such as Brick, Stucco, and Siding Molds, as well as, Window Sills and Watertable, and Exterior Lattice work.

Durable and said to be resistive to certain wood eating mites, Redwood is usually milled "green", which means a high moisture content. This often causes a darkening of the Redwood, in time, even blackening. It is important to paint or stain Redwood to keep a good appearance.




2-1/4" TO 3-1/2" CASING

♥ lengths available: 5' thru 16'




120**VG** 9/16 x 2-1/4 **2RE Casing**



152**V**G 11/16 x 2-1/4 #356 Colonial Casing



108**VG** 5/8 x 2-1/2 **#711 Casing**



176**VG** 5/8 x 3-1/4 Moulded Casing





139**V**G 11/16 x 3-1/2 2RE Casing

11/16" TO 5-1/2" BASE

(items are approximate scale only)










4-5/8" TO 5-1/4" CROWN

₹ lengths available: 5' thru 16'




414VG 5/8 x 5-1/4 Colonial Crown



7-1/4" CROWN


(items are approximate scale only)


♥ lengths available: 6' thru 16'





1-3/8" TO 2-1/8" PANEL CAP






620**VG** 11/16 x 2-1/8 Panel Cap with 3/8" Rab't


T&G WAINSCOT

√ lengths available: 5' & 16'



COVE






HANDRAIL

(items are approximate scale only)


♥ lengths available: 6' thru 20'




926 1-1/2 x 1-7/8 **Handrail 926P** plowed 1/4 x 1-1/4



932 1-1/2 x 1-7/8 Small 6010 Handrail 932-P plowed 1/4 x 1-1/8




927 1-1/2 x 2-1/4 **Oval Handrail 927P** plowed 1/4 x 1-1/8



1-1/2 x 2-3/8 **Handrail** plowed 1/4 x 1-1/4


925P



928 1-1/2 x 2-1/2 **'B' Handrail** 928P plowed 1/4 x 1-1/4

EXTERIOR MOLD

₩ Lengths Available: 6' thru 20'



(items are approximate scale only)

612AVG 1-1/4 x 2 VG Fir 180 Eastern Brick Mold



612BVG 1-1/4 x 2 VG Fir 180 Eastern Brick Mold with Key

REDWOOD EXTERIOR MOLD


826 3/4 x 1-1/4 Redwood Stucco Mold 826A 7/8 x 1-1/2 Redwood Large Stucco Mold



1-3/8 x 1-3/8 Redwood Brick Mold



7/8 x 1-1/4 VG Fir Stucco Mold 953VG 953AR 3/4 x 1-1/4 FJ Redwood Stucco Mold







ELandELWoodProducts.com

PR833RFJ 13/16 x 1-1/2 FJ Primed Redwood Stucco Mold Lengths Available: 7' & 17'


181











REDWOOD LATTICE

(items are approximate scale only)

♥ lengths available: 6' thru 20'




820 823 1/4 x 3-1/2 Redwood Lattice 1/4 x 1-1/4 Redwood Lattice 821 1/4 x 1-5/8 Redwood Lattice 830 1/4 x 5-1/2 Redwood Lattice 822 1/4 x 2-1/2 Redwood Lattice

REDWOOD WATER TABLE



827W 1-3/8 x 2 Redwood Water Table with Lip




827 1-7/16 x 2 Redwood Water Table with no Lip

REDWOOD MISCELLANEOUS



829 3/4 x 1-1/16 Redwood Crest



3/4 x 1-5/8 Redwood Corrugated Wiggle Mold

A LITTLE PIECE OF HISTORY

Our company was founded in 1967 by Mr. Lindy and Mr. Lynch (hence the name L&L). Unfortunately, another company already had the L&L name, so over a few good laughs, Mr. Lindy and Mr. Lynch figured they could "beat the system" (wink wink) by adding an E in front of each L. The name EL&EL was born. Within a few months, Robert Ward joined EL&EL and eventually purchased the company from Mr. Lindy and Mr. Lynch. Today, the family of Robert remain the current owners and operators of EL&EL Wood Products Corp. Robert didn't just build a company, he created one big happy family. Now you're part of the story too.

THANK YOU FOR YOUR INTEREST IN EL&EL

Since 1967, it has been our pleasure to support you in your endeavor to help contractors, builders and homeowners bring their projects to life. We are committed to innovative thinking and processes that deliver a comprehensive product offering backed by the best people in the industry. Guaranteed.

Please stop by our website to find a dealer near you.





Follow us on









WHOLESALE ONLY